SKU: ZN11A




# Z-Series Fixed Flow Masterstream Nozzle - 350 GPM (1300 LPM) @ 100 PSI (7 Bar), 2.5" (65 mm) NHF Rigid Rocker Inlet

Premium Industrial Masterstream Nozzles

**Categories:** Buy Online, Masterstream Nozzles

The Z-Series nozzles deliver powerful water streams with minimal maintenance, ensuring dependable performance in industrial firefighting scenarios.

**Key Features**:

- **Wide Flow Range**: Models available with flow rates from 250 GPM to 2000 GPM (1000-7500 LPM) for diverse applications
- **Rated Performance**: Operates at 100 PSI (7 Bar) or 75 PSI (5 Bar) for consistent and reliable water delivery
- **Minimal Maintenance**: Simple design requires no grease, reducing maintenance time and effort
- **Shaper Lock Mechanism**: Lock the shaper into any fog pattern for precise control
- **Foam Compatibility**: Compatible with the FJ-MX-MD foam attachment for enhanced fire suppression
- **Durable Construction**: Robust materials ensure longevity and performance in the most demanding environments
- **Versatile Applications**: Suitable for industrial firefighting systems, monitors, and other unique applications

and scenarios

- **Certified Models**: Select FM-approved models available for specific industrial requirements
- **Model-Specific Features**:
  - **ZN Model:** Flow rates from 250 to 750 GPM with K-Factors of 15-75
  - **ZM Model:** Flow rates from 500 to 1250 GPM with FM-approved options
  - **ZO Model:** Flow rates from 1250 to 2000 GPM, tested to FM Approval Class 5511

# Task Force Tips

## SKU: ZN11A

## Specifications

| | |
|---|---|
| **Weight** | 3.900 lbs |
| **Dimensions** | 14.00 × 8.00 × 8.00 in |
| **Color** | Black/Blue |
| **Brand** | Z-Series |
| **Nozzle Type** | Fixed Flow |
| **Nozzle Valve Style** | Sold Separately |
| **Nozzle Teeth** | Rubber Teeth |
| **Nozzle Style** | Tip Only |
| **Target Nozzle Flow (Imp)** | 350 GPM |
| **Target Nozzle Flow (Met)** | 1300 LPM |
| **Target Nozzle Pressure (Imp)** | 100 PSI |
| **Target Nozzle Pressure (Bar)** | 7 Bar |
| **Nozzle Shaper Actuation** | Manual |
| **Nozzle Power** | Manual |
| **Target Nozzle Pressure (KPA)** | 700 KPA |
| **Nozzle Inlet Size (Imp)** | 2.5" |
| **Nozzle Inlet Size (Met)** | 65 mm |
| **Nozzle Inlet Connection Type** | NH Female |
| **Nozzle Inlet Coupling Style** | Rocker |
| **Nozzle Inlet Coupling Swivel** | Rigid |

## Documents

### Technical Specifications and Drawings

- ZN11A Finished Good Print – STEP
- ZN11A Finished Good Print
- ZN11A Finished Good Print

# Task Force Tips

## SKU: ZN11A

- ZN11A Item Specification

### Instructions For Installation, Safe Operation and Maintenance

- Industrial Master Stream Nozzles Fixed (ZN,ZM,ZO)
- Z Series Nozzles Manual