

PRODESEG S.A.
DISTRIBUIDOR AUTORIZADO
www.prodeseg.com.co

Z-Series Fixed Flow Masterstream Nozzle - 750 GPM (3000 LPM) @ 100 PSI (7 Bar), 2.5" (65 mm) NHF Rigid Rocker Inlet

Premium Industrial Masterstream Nozzles

Categories: Buy Online, Masterstream Nozzles

The Z-Series nozzles deliver powerful water streams with minimal maintenance, ensuring dependable performance in industrial firefighting scenarios.

Key Features:

- **Wide Flow Range**: Models available with flow rates from 250 GPM to 2000 GPM (1000-7500 LPM) for diverse applications
- **Rated Performance**: Operates at 100 PSI (7 Bar) or 75 PSI (5 Bar) for consistent and reliable water delivery
- **Minimal Maintenance**: Simple design requires no grease, reducing maintenance time and effort
- **Shaper Lock Mechanism**: Lock the shaper into any fog pattern for precise control
- **Foam Compatibility**: Compatible with the FJ-MX-MD foam attachment for enhanced fire suppression
- **Durable Construction**: Robust materials ensure longevity and performance in the most demanding environments
- **Versatile Applications**: Suitable for industrial firefighting systems, monitors, and other unique applications and scenarios
- **Certified Models**: Select FM-approved models available for specific industrial requirements
- **Model-Specific Features**:

- **ZN Model:** Flow rates from 250 to 750 GPM with K-Factors of 15-75
- **ZM Model:** Flow rates from 500 to 1250 GPM with FM-approved options
- **ZO Model:** Flow rates from 1250 to 2000 GPM, tested to FM Approval Class 5511

Task Force Tips

SKU: ZN13A

Specifications

Weight	3.900 lbs
Dimensions	14.00 × 8.00 × 8.00 in
Color	Black/Blue
Brand	Z-Series
Nozzle Type	Fixed Flow
Nozzle Valve Style	Sold Separately
Nozzle Teeth	Rubber Teeth
Nozzle Style	Tip Only
Target Nozzle Flow (Imp)	750 GPM
Target Nozzle Flow (Met)	3000 LPM
Target Nozzle Pressure (Imp)	100 PSI
Target Nozzle Pressure (Bar)	7 Bar
Nozzle Shaper Actuation	Manual
Nozzle Power	Manual
Target Nozzle Pressure (KPA)	700 KPA
Nozzle Inlet Size (Imp)	2.5"
Nozzle Inlet Size (Met)	65 mm
Nozzle Inlet Connection Type	NH Female
Nozzle Inlet Coupling Style	Rocker
Nozzle Inlet Coupling Swivel	Rigid

Documents

Technical Specifications and Drawings

- ZN13A Item Specification

Task Force Tips

SKU: ZN13A

Instructions For Installation, Safe Operation and Maintenance

- Industrial Master Stream Nozzles Fixed (ZN,ZM,ZO)
- Z Series Nozzles Manual